ELSEVIER

Wear 192 (1996) 249

WEAR

Author Index of Volume 192

Alpas, A.T., 186
Azarkhin, A., 157

Bahng, G.-W., 1
Baker, I., 241
Beerschwinger, U., 199
Beynon, J.H., 94
Blanpain, B., 141

Celis, J.P., 141
Chaug, Y., 165
Chen, C.T., 78
Chen, H., 186
Chen, Y.A., 78
Choi, B.-Y., 1
Chu, Y.-L., 49
Conrad, J.R., 49
Csapo, E., 151

Dekura, T., 178
Dennis, J.K., 165
Devenpeck, M., 157
Dicko, A., 233
Dražič, G., 11

Eckert, S., 199
Eliseeva, I.M., 46
El-Tayeb, N.S., 112

Fetherston, R.P., 49

Gadelrab, R.M., 112
García-Cordovilla, C., 170
Garnham, J.E., 94
Ghosh, M.K., 118
Gjønnes, L., 216

Harmsen, M., 128
Hasegawa, M., 40
Hemanth, J., 134
Hiver, P., 233
Hui, W., 165

Ives, L.K., 11

Jahanmir, S., 228
Johnson, B.J., 241

Kalin, M., 11
Kennedy, F.E., 241
Kobayashi, T., 178
Komanduri, R., 85
Krzemiński-Freda, H., 29

Laufer, E., 128
Lin, D.G., 46
Lin, T.-R., 21
Liu, E., 141
Liu, J., 40, 165
Liu, W., 6
Louis, E., 170

Masounave, J., 128
Mathieson, D., 199
Monteiro Baptista, A.P., 237
Morgan, J.E., 66

Nakayama, K., 178
Narciso, J., 170
Novak, S., 11
Nunobiki, M., 40

Okuda, K., 40

Pandey, R.K., 118
Paquer, D., 233
Paulmier, D., 151
Peterson, M.B., 11
Pramila Bai, B.N., 56
Pu, Q., 74

Ravikiran, A., 56
Reuben, R.L., 199
Richmond, O., 157

Sawley, K.J., 94
Seah, K.H.W., 134
Shamim, M., 49
Sharma, S.C., 134
Shin, J.-H., 1
Shivpuri, R., 49
So, H., 78
Sridharan, K., 49
Su, C., 6
Su, Z., 74
Subbanna, G.R., 56

Taghizadeh, M., 199
Tan, M., 6
Torrance, A.A., 66

Umehara, N., 85

Venkatesan, K., 49
Vižintin, J., 11

Wallrabe, U., 199
Wan, G.T.Y., 66
Wan, Y., 74
Warda, B., 29

Xu, H.H.K., 228
Xue, Q., 6, 74

Yang, S.J., 199
Yen, B.K., 208
Yoon, K.-B., 1

Zaidi, H., 151
Zhang, Z., 6

Elsevier Science S.A.

ELSEVIER

Wear 192 (1996) 251–254

WEAR

Subject Index of Volume 192

Abrasives
magnetic fluid grinding of HIP-Si_3N_4 rollers, 85
Abrasive wear
abrasive wear resistance of aluminium alloy/ceramic particulate composites, 170
transitions in the mechanism of material removal in abrasive wear of alumina, 228
Additives
an additive's influence on the pitting and wear of ball bearing steel, 66
antiwear and extreme pressure characteristics of 2-mercaptobenzothiazole derivative as the potential lubricating oil additive, 74
effect of additives on friction, wear, and iron fluoride formation under perfluoropolyether fluid lubrication in vacuum and various atmospheres containing oxygen, 178
Adhesion strength
control of adhesion strength in metal–elastomer joints during elastomer crosslinking, 46
AES
antiwear and extreme pressure characteristics of 2-mercaptobenzothiazole derivative as the potential lubricating oil additive, 74
Al_3Ni
wear of aluminium matrix composites reinforced with nickel-coated carbon fibres, 186
Alumina
effect of interface layers formed during dry sliding of zirconia toughened alumina (ZTA) and monolithic alumina against steel, 56
transitions in the mechanism of material removal in abrasive wear of alumina, 228
Aluminium
development of surface topography during cold rolling of twin-roll cast aluminium, 216
Aluminium alloy
abrasive wear resistance of aluminium alloy/ceramic particulate composites, 170
Amorphous carbon
influence of water vapor and oxygen on the tribology of carbon materials with sp^2 valence configuration, 208
Amplitude
effect of slip amplitude on the fretting wear of silicon nitride against silicon nitride, 11

Ball bearing
an additive's influence on the pitting and wear of ball bearing steel, 66
Bearings
metallographic study on rolling contact fatigue of 0.44%C–1.71%Mn induction-hardened bearing steels, 1
Brush plating
a study of wear resistance of a new brush-plated alloy Ni–Fe–W–S, 165

Calibration
calibration procedures for frictional measurements with a lateral force microscope, 141
Carbon
influence of water vapor and oxygen on the tribology of carbon materials with sp^2 valence configuration, 208
Carbon–carbon composites
influence of water vapor and oxygen on the tribology of carbon materials with sp^2 valence configuration, 208
Cast iron
wear characteristics of sub-zero chilled cast iron, 134
Ceramics
abrasive wear resistance of aluminium alloy/ceramic particulate composites, 170
Chilled
wear characteristics of sub-zero chilled cast iron, 134
Coatings
friction and wear of TiN coatings Contribution of CETRIB/INEGI to the TWA1-1993 VAMAS round-robin, 237
Cold rolling
development of surface topography during cold rolling of twin-roll cast aluminium, 216
Composites
friction and wear properties of E-glass fiber reinforced epoxy composites under different sliding contact conditions, 112
abrasive wear resistance of aluminium alloy/ceramic particulate composites, 170
Contact capacity
correction of the roller generators in spherical roller bearings, 29
Contact pressure
rolling contact fatigue of three pearlitic rail steels, 94
Cracks
metallographic study on rolling contact fatigue of 0.44%C–1.71%Mn induction-hardened bearing steels, 1
Creepage
rolling contact fatigue of three pearlitic rail steels, 94

Dialkyldithiocarbamate-phenanthroline-rare earth
study on tribological properties of the complex of rare earth dialkyldithiocarbamate and phenanthroline in lubricating grease, 6
Die casting
an evaluation of metallic coatings for erosive wear resistance in die casting applications, 49
Dry sliding
effect of interface layers formed during dry sliding of zirconia toughened alumina (ZTA) and monolithic alumina against steel, 56

E-glass
friction and wear properties of E-glass fiber reinforced epoxy composites under different sliding contact conditions, 112

Elsevier Science S.A.

EHL and line contact
thermal effects on film thickness and traction in rolling/sliding EHL line contacts—an accurate inlet zone analysis, 118
Elastomers
control of adhesion strength in metal–elastomer joints during elastomer crosslinking, 46
Electrical contact
friction behaviour of a graphite–graphite dynamic electric contact in the presence of argon, 151
Electrochemical metallization
a study of wear resistance of a new brush-plated alloy Ni–Fe–W–S, 165
Emulsion
new bifunctionalised additives for cold rolling emulsions, 233
Environment
friction behaviour of a graphite–graphite dynamic electric contact in the presence of argon, 151
Epoxy
friction and wear properties of E-glass fiber reinforced epoxy composites under different sliding contact conditions, 112
Erosive wear resistance
an evaluation of metallic coatings for erosive wear resistance in die casting applications, 49
Extreme-pressure
new bifunctionalised additives for cold rolling emulsions, 233
Extreme pressure and antiwear
study on tribological properties of the complex of rare earth dialkyl-dithiocarbamate and phenanthroline in lubricating grease, 6

Fatigue
metallographic study on rolling contact fatigue of 0.44%C–1.71%Mn induction-hardened bearing steels, 1
an additive's influence on the pitting and wear of ball bearing steel, 66
rolling contact fatigue of three pearlitic rail steels, 94
Fiber
friction and wear properties of E-glass fiber reinforced epoxy composites under different sliding contact conditions, 112
Film thickness
thermal effects on film thickness and traction in rolling/sliding EHL line contacts—an accurate inlet zone analysis, 118
Fractal dimensions
calculation of the fractal dimensions of machined surface profiles, 40
Fretting
effect of slip amplitude on the fretting wear of silicon nitride against silicon nitride, 11
Friction
friction and wear properties of E-glass fiber reinforced epoxy composites under different sliding contact conditions, 112
friction behaviour of a graphite–graphite dynamic electric contact in the presence of argon, 151
an approximate model of surface ploughing by a rotating disc and other indenters, 157
effect of additives on friction, wear, and iron fluoride formation under perfluoropolyether fluid lubrication in vacuum and various atmospheres containing oxygen, 178
effect of progressive wear on the friction characteristics of nickel LIGA processed rotors, 199
friction and wear of TiN coatings Contribution of CETRIB/INEGI to the TWA1-1993 VAMAS round-robin, 237
dry sliding wear of NiAl, 241

Grain dislodgement
transitions in the mechanism of material removal in abrasive wear of alumina, 228
Graphite
friction behaviour of a graphite–graphite dynamic electric contact in the presence of argon, 151
influence of water vapor and oxygen on the tribology of carbon materials with sp^2 valence configuration, 208
Grease additive
study on tribological properties of the complex of rare earth dialkyl-dithiocarbamate and phenanthroline in lubricating grease, 6

H13
an evaluation of metallic coatings for erosive wear resistance in die casting applications, 49
Hot isostatic pressing
magnetic fluid grinding of HIP-Si_3N_4 rollers, 85

Inlet zone
thermal effects on film thickness and traction in rolling/sliding EHL line contacts—an accurate inlet zone analysis, 118
Interface layers
effect of interface layers formed during dry sliding of zirconia toughened alumina (ZTA) and monolithic alumina against steel, 56
Iron fluoride
effect of additives on friction, wear, and iron fluoride formation under perfluoropolyether fluid lubrication in vacuum and various atmospheres containing oxygen, 178

Journal bearings
Si-modified ZA alloy for journal bearing applications, 128

Laser cladding
wear behaviours of laser-clad stellite alloy 6, 78
Lateral crack chipping
transitions in the mechanism of material removal in abrasive wear of alumina, 228
Lateral force microscopy
calibration procedures for frictional measurements with a lateral force microscope, 141
LIGA process
effect of progressive wear on the friction characteristics of nickel LIGA processed rotors, 199

Machining
calculation of the fractal dimensions of machined surface profiles, 40
Magnetic fluid grinding
magnetic fluid grinding of HIP-Si_3N_4 rollers, 85
Material removal
transitions in the mechanism of material removal in abrasive wear of alumina, 228
2-Mercaptobenzothiazole derivative
antiwear and extreme pressure characteristics of 2-mercaptobenzo-thiazole derivative as the potential lubricating oil additive, 74
Metallic coatings
an evaluation of metallic coatings for erosive wear resistance in die casting applications, 49
Metal matrix composites
wear of aluminium matrix composites reinforced with nickel-coated carbon fibres, 186
Metals
control of adhesion strength in metal–elastomer joints during elastomer crosslinking, 46
Micropolar fluid
hydrodynamic lubrication of journal bearings including micropolar lubricants and three-dimensional irregularities, 21
Microsystems
effect of progressive wear on the friction characteristics of nickel LIGA processed rotors, 199
Molybdenum
an evaluation of metallic coatings for erosive wear resistance in die casting applications, 49

Nanohardness
wear of aluminium matrix composites reinforced with nickel-coated carbon fibres, 186
Nanotribology
calibration procedures for frictional measurements with a lateral force microscope, 141
NiAl
dry sliding wear of NiAl, 241
Nickel
effect of progressive wear on the friction characteristics of nickel LIGA processed rotors, 199
Nickel-coated carbon fibres
wear of aluminium matrix composites reinforced with nickel-coated carbon fibres, 186
Ni–Fe–W–S alloy
a study of wear resistance of a new brush-plated alloy Ni–Fe–W–S, 165

Oil-in-water
new bifunctionalised additives for cold rolling emulsions, 233
Oxidation crosslinking
control of adhesion strength in metal–elastomer joints during elastomer crosslinking, 46
Oxygen
effect of additives on friction, wear, and iron fluoride formation under perfluoropolyether fluid lubrication in vacuum and various atmospheres containing oxygen, 178

Perfluoropolyether
effect of additives on friction, wear, and iron fluoride formation under perfluoropolyether fluid lubrication in vacuum and various atmospheres containing oxygen, 178
Pitting
an additive's influence on the pitting and wear of ball bearing steel, 66
Plasma source ion implantation
an evaluation of metallic coatings for erosive wear resistance in die casting applications, 49
Plastic deformation
dry sliding wear of NiAl, 241
Platinum
an evaluation of metallic coatings for erosive wear resistance in die casting applications, 49
Ploughing
an approximate model of surface ploughing by a rotating disc and other indenters, 157

Rail steel
rolling contact fatigue of three pearlitic rail steels, 94
Rare earth complexes
study on tribological properties of the complex of rare earth dialkyl-dithiocarbamate and phenanthroline in lubricating grease, 6
Roller generator correction
correction of the roller generators in spherical roller bearings, 29
Rollers
magnetic fluid grinding of HIP-Si_3N_4 rollers, 85
Rolling bearing
correction of the roller generators in spherical roller bearings, 29
Rolling contact
metallographic study on rolling contact fatigue of 0.44%C–1.71%Mn induction-hardened bearing steels, 1
rolling contact fatigue of three pearlitic rail steels, 94
Rotors
effect of progressive wear on the friction characteristics of nickel LIGA processed rotors, 199

Scratching
transitions in the mechanism of material removal in abrasive wear of alumina, 228
Seizure
wear of aluminium matrix composites reinforced with nickel-coated carbon fibres, 186
Si_3N_4
magnetic fluid grinding of HIP-Si_3N_4 rollers, 85
Silicon nitride
effect of slip amplitude on the fretting wear of silicon nitride against silicon nitride, 11
Sliding wear
wear of aluminium matrix composites reinforced with nickel-coated carbon fibres, 186
dry sliding wear of NiAl, 241
Steel
metallographic study on rolling contact fatigue of 0.44%C–1.71%Mn induction-hardened bearing steels, 1
effect of interface layers formed during dry sliding of zirconia toughened alumina (ZTA) and monolithic alumina against steel, 56
an additive's influence on the pitting and wear of ball bearing steel, 66
wear behaviours of laser-clad stellite alloy 6, 78
rolling contact fatigue of three pearlitic rail steels, 94
Stellite
wear behaviours of laser-clad stellite alloy 6, 78
Sub-zero
wear characteristics of sub-zero chilled cast iron, 134
Surface finish
magnetic fluid grinding of HIP-Si_3N_4 rollers, 85
Surface layers
Si-modified ZA alloy for journal bearing applications, 128
Surface profiles
calculation of the fractal dimensions of machined surface profiles, 40
Surface topography
development of surface topography during cold rolling of twin-roll cast aluminium, 216
Surfactant
new bifunctionalised additives for cold rolling emulsions, 233

Temperature
thermal effects on film thickness and traction in rolling/sliding EHL line contacts—an accurate inlet zone analysis, 118
Three-dimensional irregularities
hydrodynamic lubrication of journal bearings including micropolar lubricants and three-dimensional irregularities, 21
Time
effect of slip amplitude on the fretting wear of silicon nitride against silicon nitride, 11
TiN
friction and wear of TiN coatings Contribution of CETRIB/INEGI to the TWA1-1993 VAMAS round-robin, 237
Traction
thermal effects on film thickness and traction in rolling/sliding EHL line contacts—an accurate inlet zone analysis, 118
Tribochemical wear
influence of water vapor and oxygen on the tribology of carbon materials with sp^2 valence configuration, 208
Tribological characteristics
antiwear and extreme pressure characteristics of 2-mercaptobenzo-thiazole derivative as the potential lubricating oil additive, 74
Tribology
influence of water vapor and oxygen on the tribology of carbon materials with sp^2 valence configuration, 208
Tungsten
an evaluation of metallic coatings for erosive wear resistance in die casting applications, 49

Upper bound method
an approximate model of surface ploughing by a rotating disc and other indenters, 157

Vacuum
effect of additives on friction, wear, and iron fluoride formation under perfluoropolyether fluid lubrication in vacuum and various atmospheres containing oxygen, 178
Vulcanization
control of adhesion strength in metal–elastomer joints during elastomer crosslinking, 46

Wear
effect of slip amplitude on the fretting wear of silicon nitride against silicon nitride, 11
an additive's influence on the pitting and wear of ball bearing steel, 66
friction and wear properties of E-glass fiber reinforced epoxy composites under different sliding contact conditions, 112
wear characteristics of sub-zero chilled cast iron, 134
effect of additives on friction, wear, and iron fluoride formation under perfluoropolyether fluid lubrication in vacuum and various atmospheres containing oxygen, 178
friction and wear of TiN coatings Contribution of CETRIB/INEGI to the TWA1-1993 VAMAS round-robin, 237
Wear resistance
Si-modified ZA alloy for journal bearing applications, 128
a study of wear resistance of a new brush-plated alloy Ni–Fe–W–S, 165
Wear transition
transitions in the mechanism of material removal in abrasive wear of alumina, 228

XPS
antiwear and extreme pressure characteristics of 2-mercaptobenzothiazole derivative as the potential lubricating oil additive, 74
XPS and AES
study on tribological properties of the complex of rare earth dialkyldithiocarbamate and phenanthroline in lubricating grease, 6

ZA alloy
Si-modified ZA alloy for journal bearing applications, 128
Zirconia
effect of interface layers formed during dry sliding of zirconia toughened alumina (ZTA) and monolithic alumina against steel, 56